



YAMASA CORPORATION

DIAGNOSTICS DEPARTMENT

Tokyo Office

1-23-8, Nihonbashi-kakigara-cho

Chuo-ku, Tokyo, 103-0014, Japan

Tel. +81-3-3668-8558 Fax. +81-3-3668-8407

[www.yamasa.com/shindan/index.htm](http://www.yamasa.com/shindan/index.htm)

---

## Monoclonal Antibody to Endothelin

Abbreviation : MCA ET-02  
Code No. : 7632  
Quantity : 200  $\mu$ L (200  $\mu$ g)  
Clone : 8H10  
Quality : BALB/c IgG1 $\kappa$  (Purified by Protein A chromatography.)  
Solution : 1 mg/mL IgG, 0.1% NaN<sub>3</sub>, PBS, pH 7.4  
Character : This antibody is specific to C-terminal of Endothelin.

		Reactivity
to	Human ET-1	100 %
	Human ET-2	> 100 %
	Human ET-3	> 100 %
	Human big ET-1	< 0.1 %
	Porcine big ET-1	< 0.1 %
	VIC	> 100 %

Storage: The solution should be stored below -20°C.  
Repeated freezing and thawing should be avoided.

Note : Research use only.

Reference : Hamaoki, M. et al. Hybridoma 9, 63-69 (1990)